

L Number	Hits	Search Text	DB	Time stamp
1	0	(333/84m).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 15:23
2	0	(333/84).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 15:23
-	15	((("257/662") or ("257/664") or ("257/275") or ("257/758") or ("257/211") or ("257/690") or ("257/691") or ("257/692"))).CCLS.) and ((hole or aperture or gap) near15 ((signal or transmission) adj2 line)) near15 (capacitance or impedance or signal adj speed or propagation adj speed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 11:19
-	27	((("257/662") or ("257/664") or ("257/275") or ("257/758") or ("257/211") or ("257/690") or ("257/691") or ("257/692"))).CCLS.) and ((hole or through-hole) near15 (transmission or signal) adj2 line and (impedance or capacitance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 12:24
-	2	((("JP-5166965") or ("4896194"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/08 12:40
-	51	((("257/662") or ("257/664") or ("257/275") or ("257/758") or ("257/211") or ("257/690") or ("257/691") or ("257/692"))).CCLS.) and ((ground adj plate or signal adj line) near12 (hole or through-hole or slit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/18 12:34
-	2	((("257/662") or ("257/664") or ("257/275") or ("257/758") or ("257/211") or ("257/690") or ("257/691") or ("257/692"))).CCLS.) and ((ground adj plate or signal adj line) near12 (hole or through-hole or slit)) near12 impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/18 12:35
-	0	((hole or through-hole) near6 ground adj plate near6 impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/29 08:05
-	20	((hole or through-hole) near12 ground adj (plane or plate) near12 impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/29 08:05
-	11	((hole or through-hole) near6 ground adj (plane or plate) near6 impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/29 08:06
-	21	((die or chip) near1 architecture.ti,ab. and 257/\$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/29 10:30
-	2	("6111289").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/30 10:05
-	81	overlap near3 gate near3 drain near3 channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/30 10:14

-	9	overlap near3 gate near3 drift adj region	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/30 11:25
-	9	((257/288) or (257/335) or (257/337) or (257/337) or (257/339) or (257/348) or (257/392) or (257/341) or (257/342) or (257/343) or (257/344) or (257/345) or (257/401) or (257/402)).CCLS.) and (strip or column or row) near15 drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 18:35
-	20	((257/288) or (257/335) or (257/337) or (257/337) or (257/339) or (257/348) or (257/392) or (257/341) or (257/342) or (257/343) or (257/344) or (257/345) or (257/401) or (257/402)).CCLS.) and overlap\$4 near12 gate near12 drift	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/30 13:46
-	58	((257/328).CCLS.) and overlap\$4 near12 gate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/30 14:21
-	0	lateral adj dmosfet.ti. and resurf.ti.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/30 14:21
-	0	lateral adj dmosfet.ti.ab. and resurf.ti.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/30 14:21
-	0	lateral adj dmosfet.ti.ab. and resurf	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/30 14:21
-	3	lateral adj dmosfet.ti.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/30 14:23
-	1	lateral adj mosfet.ti.ab. and 257/342.ccls.	USPAT; US-PGPUB	2002/10/30 15:06
-	20	lateral adj mosfet.ti.ab. and 257/3\$5.ccls.	USPAT; US-PGPUB	2002/10/30 15:06
-	19	lateral adj mosfet.ti.ab. and 257/3\$5.ccls.	USPAT	2002/10/30 15:19
-	0	lateral adj mosfet.ti.ab. same resurf	USPAT	2002/10/30 15:20
-	5	lateral adj mosfet same resurf	USPAT	2002/10/30 15:25
-	25	resurf.ti.	USPAT	2002/10/30 15:51
-	122	(257/338).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/30 15:54
-	0	"L29" and drift same gate and lateral and (row or column)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/30 15:55
-	0	"L29" and drift same gate and (row or column)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/30 15:56
-	11	((257/401).CCLS.) and drift same gate and (row or column)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/30 15:56

-	30	((257/662) or (257/664) or (257/275) or (257/758) or (257/211) or (257/690) or (257/691) or (257/692)).CCLS.) and transmission adj line and microstrip and impedance and capacitance and (opening or hole)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 11:28
-	40	((((257/690) or (257/692) or (257/758) or (257/211) or (257/690) or (257/691) or (257/692)).CCLS.) and transmission adj line and (microstrip or microstripline) and capacitance and (impedance or resistance or conductance) near15 (opening or hole)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/26 21:09
-	34	((((257/690) or (257/692) or (257/758) or (257/211) or (257/690) or (257/691) or (257/692)).CCLS.) and transmission adj line and (microstrip or microstripline) and capacitance and (impedance or resistance or conductance) near15 (opening or hole) not (((257/662) or (257/664) or (257/275) or (257/758) or (257/211) or (257/690) or (257/691) or (257/692)).CCLS.) and transmission adj line and microstrip and impedance and capacitance and (opening or hole))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/26 21:21
-	1	((333/81A) or (333/116) or (333/124) or (333/204)).CCLS.) and hole near12 (impedance or resistance) near12 capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 09:02
-	1	((333/81A) or (333/116) or (333/124) or (333/204)).CCLS.) and (opening or hole) near12 (impedance or resistance) near12 capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 10:14
-	87	((333/81A).CCLS.) and (opening or through-hole or hole)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 10:19
-	3	((333/124).CCLS.) and (hole or through-hole or opening) and (microstripline or micro-stripline or micro adj stripline or micro adj strip adj line or microstrip adj line or microstrip adj line or microstrip-line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 15:10
-	96	((333/204).CCLS.) and (hole or through-hole or opening) and (microstripline or micro-stripline or micro adj stripline or micro adj strip adj line or microstrip adj line or microstrip adj line or microstrip-line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 15:02
-	31	((333/204).CCLS.) and (hole or through-hole or opening or cavity) near15 microstrip	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 11:08
-	46	((257/662) or (257/664) or (257/275) or (257/758) or (257/211) or (257/690) or (257/691) or (257/692)).CCLS.) and (microstrip or micro-strip or microstripline or micro-strip or micro-stripline) near15 (opening or hole or through-hole or cavity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 11:38
-	60	((257/662) or (257/664) or (257/275) or (257/758) or (257/211) or (257/690) or (257/691) or (257/692)).CCLS.) and (microstrip or micro-strip or microstripline or micro-strip or micro-stripline) near15 (opening or hole or through-hole or cavity or slot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 15:00

-	2	jp-52002172\$-\$\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 15:08
-	0	slot-coupled adj feed and microstrip	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 15:11
-	0	slot-coupled adj feed and transmission adj line	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 15:11
-	17	slotted adj microstrip	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 16:21
-	1	slotted adj microstrip adj line	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 16:28
-	1	slotted adj (microstrip adj line or microstripline)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 16:30
-	26	(slotted or slot or opening or hole or through-hole) adj (microstrip adj line or microstripline)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 16:31
-	12	(slotted or slot or opening or hole or through-hole) adj (microstrip adj line or microstripline).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 16:31
-	34	(US-6160313-\$ or US-5962926-\$ or US-5666009-\$ or US-4383226-\$ or US-5801599-\$ or US-4896194-\$ or US-5739560-\$ or US-5744858-\$ or US-4879588-\$ or US-5185650-\$ or US-6437431-\$ or US-5304819-\$ or US-5117277-\$ or US-3869787-\$ or US-6455880-\$ or US-5986521-\$ or US-5894154-\$ or US-6066878-\$ or US-6229180-\$ or US-5903239-\$ or US-3784883-\$ or US-4875087-\$ or US-5352998-\$ or US-6344667-\$ or US-6441471-\$ or US-5294824-\$).did. or (US-20010038146-\$).did. or (JP-05166965-\$ or JP-06120711-\$ or JP-57129473-\$ or JP-62293801-\$ or JP-05226497-\$).did. or (JP-08335803-\$ or JP-60113502-\$).did.	USPAT; US-PGPUB; JPO; DERWENT	2002/11/27 16:43

-	34	((US-6160313-\$ or US-5962926-\$ or US-5666009-\$ or US-4383226-\$ or US-5801599-\$ or US-4896194-\$ or US-5739560-\$ or US-5744858-\$ or US-4879588-\$ or US-5185650-\$ or US-6437431-\$ or US-5304819-\$ or US-5117277-\$ or US-3869787-\$ or US-6455880-\$ or US-5986521-\$ or US-5894154-\$ or US-6066878-\$ or US-6229180-\$ or US-5903239-\$ or US-3784883-\$ or US-4875087-\$ or US-5352998-\$ or US-6344667-\$ or US-6441471-\$ or US-5294824-\$).did. or (US-20010038146-\$).did. or (JP-05166965-\$ or JP-06120711-\$ or JP-57129473-\$ or JP-62293801-\$ or JP-05226497-\$).did. or (JP-08335803-\$ or JP-60113502-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 16:55
-	0	bhattacharya.in. and shafai.in. and slot and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 16:56
-	0	bhattacharya.in. and shafai.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 16:56
-	49	shafai.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 16:56
-	0	shafai.in. and impedance and slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 16:56
-	4	shafai.in. and slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 19:13
-	193	integrated adj circuit and microstrip adj antenna	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 17:03
-	50	integrated adj circuit and microstrip adj antenna and slot and ground adj (plane or plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 17:04
-	32	integrated adj circuit and microstrip adj antenna and slot and ground adj (plane or plate) and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 17:04
-	14	integrated adj circuit and microstrip adj antenna and (slot with microstrip) and ground adj (plane or plate) and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 17:06
-	3	semiconductor near6 integrated adj circuit and microstrip adj antenna and (slot with microstrip) and ground adj (plane or plate) and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 17:13
-	0	semiconductor near6 integrated adj circuit and microstrip and scanning adj antenna	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 17:14

-	0	semiconductor near6 integrated adj circuit and scanning adj antenna	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 17:14
-	76	integrated adj circuit and scanning adj antenna	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 17:14
-	0	semiconductor and integrated adj circuit.ti,ab,clm. and scanning adj antenna.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 17:15
-	18	semiconductor and integrated adj circuit and scanning adj antenna	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 17:18
-	0	scanning adj array adj antenna.ti,ab. and integrated.ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 17:19
-	19	scanning adj2 antenna.ti,ab. and integrated.ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 17:20
-	1	scanning adj2 antenna.ti,ab. and integrated.ti,ab. and semiconductor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 17:20
-	34	(US-5185650-\$ or US-6437431-\$ or US-5666009-\$ or US-5962926-\$ or US-6160313-\$ or US-4383226-\$ or US-5801599-\$ or US-4896194-\$ or US-5739560-\$ or US-5744858-\$ or US-4879588-\$ or US-5903239-\$ or US-3784883-\$ or US-4875087-\$ or US-5352998-\$ or US-6344667-\$ or US-6441471-\$ or US-5294824-\$ or US-6229180-\$ or US-5894154-\$ or US-5986521-\$ or US-6455880-\$ or US-3869787-\$ or US-5117277-\$ or US-5304819-\$ or US-6356173-\$).did. or (US-20010038146-\$).did. or (JP-05166965-\$ or JP-62293801-\$ or JP-05226497-\$ or JP-06120711-\$ or JP-57129473-\$).did. or (JP-08335803-\$ or JP-60113502-\$).did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/27 18:44
-	34	((US-5185650-\$ or US-6437431-\$ or US-5666009-\$ or US-5962926-\$ or US-6160313-\$ or US-4383226-\$ or US-5801599-\$ or US-4896194-\$ or US-5739560-\$ or US-5744858-\$ or US-4879588-\$ or US-5903239-\$ or US-3784883-\$ or US-4875087-\$ or US-5352998-\$ or US-6344667-\$ or US-6441471-\$ or US-5294824-\$ or US-6229180-\$ or US-5894154-\$ or US-5986521-\$ or US-6455880-\$ or US-3869787-\$ or US-5117277-\$ or US-5304819-\$ or US-6356173-\$).did. or (US-20010038146-\$).did. or (JP-05166965-\$ or JP-62293801-\$ or JP-05226497-\$ or JP-06120711-\$ or JP-57129473-\$).did. or (JP-08335803-\$ or JP-60113502-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 18:44
-	0	miyagi.in. and "10-050779"	JPO	2002/11/27 19:14
-	16	miyagi.in. and wiring adj board.ti.	JPO	2002/11/27 20:14

-	2	jp-11251490\$-\$\$.did.	JPO; DERWENT	2002/11/27 20:44
-	2	("4947178").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 20:45
-	11342	microstrip.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 21:13
-	475	microstrip.ti,ab,clm. and signal adj line	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 21:14
-	15	(microstrip.ti,ab,clm. and signal adj line) and ground adj plate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 21:15
-	2	((microstrip.ti,ab,clm. and signal adj line) and ground adj plate) and (through-hole or through adj hole)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 21:16
-	3	"6175287"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 16:22
-	2	("6175287").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 16:22
-	1	((("6175287").PN.) and signal adj line and (microstrip or microstripline)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 16:28
-	216	(through-hole or hole or opening) near12 (microstrip or microstripline) and impedance.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 16:29
-	47	(through-hole or hole or opening) near12 (microstrip or microstripline) near12 impedance and impedance.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 16:29
-	25	(through-hole or hole or opening) near6 (microstrip or microstripline) near6 impedance and impedance.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 19:00
-	466	impedance adj matching and microstrip and aperture	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 19:01
-	32	impedance adj matching.ti,ab,clm. and microstrip.ti,ab,clm. and aperture.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 19:06
-	24	impedance adj matching.ti,ab,clm. and microstrip.ti,ab,clm. near6 slot.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 19:31

-	0	pozar.in. and plurality near6 (slot or aperture)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 19:31
-	47	impedance adj matching and microstrip.ti,ab,clm. and plurality near6 (slot or aperture)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 19:32
-	12	impedance adj matching.ti,ab,clm. and microstrip.ti,ab,clm. and plurality near6 (slot or aperture)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 19:32
-	11	impedance adj matching.ti,ab,clm. and microstrip.ti,ab,clm. and plurality near3 (slot or aperture)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 19:37
-	2	("6127901").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 19:37
-	0	("pozar.in.").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:40
-	12	pozar.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:41
-	703	(333/26).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:53
-	904	(333/32).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:54
-	1304	(333/33).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:54
-	1097	(333/204).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:54
-	3794	((333/26).CCLS.) or ((333/32).CCLS.) or ((333/33).CCLS.) or ((333/204).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:54
-	476	((333/26).CCLS.) or ((333/32).CCLS.) or ((333/33).CCLS.) or ((333/204).CCLS.) and (microstrip or microstripline) and (hole or through-hole or opening or aperture)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:55
-	365	((333/26).CCLS.) or ((333/32).CCLS.) or ((333/33).CCLS.) or ((333/204).CCLS.) and (microstrip or microstripline) and (hole or through-hole or opening or aperture)) and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:56

-	50	(((((333/26).CCLS.) or ((333/32).CCLS.) or ((333/33).CCLS.) or ((333/204).CCLS.)) and (microstrip or microstripline) and (hole or through-hole or opening or aperture)) and impedance) and signal adj2 line and ground adj2 (plane or plate or line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 18:37
-	6	(US-5539361-\$ or US-5610563-\$ or US-3573670-\$ or US-3995239-\$ or US-4152680-\$ or US-4186352-\$).did.	USPAT	2003/05/11 13:27
-	2	((US-5539361-\$ or US-5610563-\$ or US-3573670-\$ or US-3995239-\$ or US-4152680-\$ or US-4186352-\$).did.) and impedance near12 (opening or hole or aperture) near12 (signal adj2 line or ground)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 16:40
-	9215	((257/662) or (257/664) or (257/275) or (257/211) or (257/690) or (257/691) or (257/692) or (257/658) or (333/26) or (333/32) or (333/33) or (333/81) or (333/116) or (333/124) or (333/204)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 15:22
-	23	((257/662) or (257/664) or (257/275) or (257/211) or (257/690) or (257/691) or (257/692) or (257/658) or (333/26) or (333/32) or (333/33) or (333/81) or (333/116) or (333/124) or (333/204)).CCLS.) and impedance near12 (slit or hole or through-hole or aperture) near12 (ground or signal) and microstrip.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 18:43
-	2	jp-11177247\$-\$-did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 18:48
-	0	jp-0936504\$-\$-did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 18:49
-	2	jp-09036504\$-\$-did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 18:55
-	0	jp-090291216\$-\$-did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 18:52
-	0	jp-060291216\$-\$-did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 18:53
-	1	jp-06291216\$-\$-did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 19:26
-	2	jp-05343820\$-\$-did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 18:56
-	2	jp-05267913\$-\$-did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 18:56

-	2	jp-05136597\$-\$\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 19:28
-	2	jp-62047163\$-\$\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 19:37
-	5	((("5793263") or ("3925740") or ("3659228") or ("5852391") or ("6509809")).PN. {"5539361").PN. {"3925740").PN. (333/116).CCLS.	USPAT USPAT USPAT; US-PGPUB	2003/05/11 19:49 2003/05/11 19:49 2003/10/29 19:11 2003/10/29 19:14
-	1	((333/116).CCLS.) and hole near15 signal adj line	USPAT; US-PGPUB	2003/10/29 19:15
-	0	333/69.ccls. and hole near15 signal	USPAT; US-PGPUB	2003/10/29 19:16
-	526	333/\$9.ccls. and hole near15 signal	USPAT; US-PGPUB	2003/10/29 19:16
-	25	333/\$9.ccls. and hole near6 signal adj line	USPAT; US-PGPUB	2003/10/29 19:25
-	15	tuning near6 microstrip adj transmission adj line	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 19:47
-	9	tuning near6 microstrip adj transmission adj line and ground adj (plate plane)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 19:26
-	1	tuning near6 microstrip adj transmission adj line and ground adj (plate plane) and "signal lines"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 19:28
-	1	tuning near6 microstrip adj transmission adj line and ground adj (plate plane) and signal adj line	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 19:37
-	9	tuning near6 microstrip adj transmission adj line and ground adj (plate plane) and ((transmission signal) adj line strip adj conductor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 19:44
-	9	tuning near6 microstrip adj transmission adj line and ground adj (plate plane) and ((transmission signal) adj line strip adj conductor microstrip adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 19:45
-	0	tuning near6 microstrip adj transmission adj line and ground adj (plate plane) and ((transmission signal) adj line strip adj conductor) and parallel near3 line	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 19:45
-	5	tuning near6 microstrip adj transmission adj line.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 20:02
-	243	tuning near6 (microstrip transmission adj line) and 333/\$9.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 20:03

-	88	tuning near6 (microstrip transmission adj line).ti,ab,clm. and 333/\$9.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 20:03
-	88	tuning near6 (microstrip transmission adj line).ti,ab,clm. and 333/\$9.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 21:00
-	373	tuning near6 (microstrip transmission adj line).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 21:19
-	1	("4672312").PN.	USPAT	2003/10/29 21:33
-	118	ground adj (plane plate) near6 (screen\$3 shield\$3) near6 (transmission adj line microstrip signal adj lines)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 21:36
-	118	ground adj (plane plate) near6 (screen\$3 shield\$3) near6 (transmission adj line microstrip signal adj lines) and ground	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 21:37
-	1	("5793263").PN.	USPAT	2003/10/30 15:46
-	1	("5793263").PN.	USPAT	2003/10/30 16:32
-	1	("5539361").PN.	USPAT	2003/10/30 17:30
-	1	("3659228").PN.	USPAT	2003/10/30 17:51
-	21	(reduce reducing reduction decrease decreasing) near6 coupling and (increase increasing) near6 impedance and (microstrip adj line micro adj strip adj line signal adj line).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 19:24
-	63	(transmission signal) adj line and ground adj (line plate plane) and impedance and ac adj coupling	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 19:35
-	3669	(transmission signal) adj line and ground adj (line plate plane) and impedance and coupling	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 19:35
-	97	(transmission signal) adj line and hole near12 ground adj (line plate plane) and impedance and coupling	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 19:36
-	62	plurality near3 holes near6 (signal adj line transmission adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 11:31
-	32	plurality near3 holes near6 (signal adj line transmission adj line) and ground and (signal transmission microstrip)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 12:06
-	41	plurality near3 (gap holes through-hole) near6 (signal adj line transmission adj line) and ground and (signal transmission microstrip)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 12:06
-	56	plurality near3 (aperture gap holes through-hole) near6 (signal adj line transmission adj line) and ground and (signal transmission microstrip)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 12:24

-	73	plurality near3 (aperture gap holes through-hole) near6 (signal adj line transmission adj line microstrip microstripline) and ground and (signal transmission microstrip)	USPAT; US-FGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/31 12:25
---	----	---	---	------------------